



M.2 SSD Thermal Module



RoHS Compliant

Supported Types

- NVME SSD
- NGFF SATA
- Intel SSD6/7
- Compatible with single sided/double sided M.2 2280 SSD
- Samsung 970 EVO/950Pro/960EVO/XP941/PM951/PM961 SM951/SM961
- Plextor M6e
- Kingston HyperX Predator M.2 SSD

Specifications

Properties	Unit	M.2 SSD Thermal Module
Heatsink Material	-	Aluminum Alloy
Device Type	-	Internal PC Heatsink
Dimensions L x W x H	mm	83.5 x 25 x 39.5 mm ±1
Weight	g	110
Fin Specifications	mm	Thickness 1.7
	mm	Spacing 1.7
Number of Fins	pcs	18
Catheter Diameter	mm	Ø6
Operating Temperature	°C	0~+70
Cooling Range	°C	15~30
Compatibility	-	Compatible with M.2 2280 SSD
Warranty	Year	2



- ① Heat Sink
- ② TG-A6200 Thermal Pad
- ③ TG-A6200 Thermal Pad
- ④ Screw x6
- ⑤ Metal Sheet
- ⑥ Solid State Disk (SSD) (Excluded)

Installation Guide

Remove all screws from the components, preparing for installation.

Peel off the protective film from the two thermal pads.

Attach the metal sheet to the back of the SSD (the side without chips).

Attach the heat sink to the front of the SSD (the side with chips).

Tighten the screws to secure the heat sink and metal sheet.

Insert the assembly into the M.2 slot on the motherboard and secure it with screws.

T-Global Technology Co., Ltd.

No.33, Ln.50, Daren Rd., Taoyuan Dist., Taoyuan City 330058, Taiwan

T +886-3-361-8899 E service@tglobalcorp.com W www.tglobalcorp.com

Version20
20250211



NOTICE: The information contained herein is to the best of our knowledge true and accurate. Values stated in this technical data sheet represent typical values as not all tests are run on each lot of material produced. All specifications are subject to change without notice. The protective film and release paper do not affect the function of the product. If there is no special requirement, the default depends on T-Global. Since the varied conditions of potential use are beyond our control, all recommendations or suggestions are presented with out guarantee or responsibility on our part and users should make their own test to determine the suitability of our products in any specific situation. This product is sold without warranty either expressed or implied, of fitness for a particular purpose or otherwise, except that this product shall be of standard quality, and except to the extent otherwise stated in T-Global Technology's invoice, quotation, or order acknowledgment. We disclaim any and all liabilities incurred in connection with the use of information contained herein, or otherwise. All risks of such are assumed by the user. Furthermore, nothing contained herein shall be construed as a recommendation to use any process or to manufacture or to use any product in conflict with existing or future patents covering any product or material or its use.